

# DRAFT

## ATTACHMENT "A" List of Conditions for SPRR25-00009

Approval Date: January 14, 2026  
Effective Date: January 27, 2026  
Expiration Date: January 27, 2029

This list of conditions applies to: Consideration of Site Plan Review Revision SPRR25-00009 to construct a 8,516 square foot office building on 1.11 acres within the C2 General Commercial zone located on the southeast corner of Apatite Avenue and Outer Bear Valley Road (Applicant: CJC Holdings, LLC; APNs: 0415-021-37)

The use shall not be established until all conditions of this land use approval application have been met. This approved land use shall become null and void if all conditions have not been completed by the expiration date noted above. Extensions of time may be granted upon submittal of the required application and fee prior to the expiration date.

(Note: the "COMPLETED" and "COMPLIED BY" spaces are for internal City use only).

### CONDITIONS REQUIRED AS PART OF SUBMITTAL OF PUBLIC IMPROVEMENT PLANS

<u>COMPLETED</u> NOT IN COMPLIANCE	<u>COMPLIED BY</u>	CONSTRUCTION PLANS. Five complete sets of construction plans prepared and wet stamped by a California licensed Civil or Structural Engineer or Architect shall be submitted to the Building Division with the required application fees for review. (B)
<u>COMPLETED</u> NOT IN COMPLIANCE	<u>COMPLIED BY</u>	DUST CONTROL. Dust control shall be maintained before, during, and after all grading operations. (B)
<u>COMPLETED</u> NOT IN COMPLIANCE	<u>COMPLIED BY</u>	PERCOLATION TEST. The applicant shall submit a percolation test, performed by a California licensed civil or soils engineer for determining the percolation rate for the required private sewage disposal systems. Should the applicant agree in writing to use the most restrictive percolation test for a site in close proximity to the subject property in designing the sewage disposal systems, then a percolation test shall not be required to be performed on-site. The applicability of any percolation test for use in designing the sewage disposal systems shall be subject to review and approval by the Building and Safety Division. In the event a tract map or parcel map has previously been recorded on the project site, the City of Hesperia has a percolation test on file, and no unusual conditions apply, this requirement may be waived by the Building and Safety Division. (B)
<u>COMPLETED</u> NOT IN COMPLIANCE	<u>COMPLIED BY</u>	GEOTECHNICAL REPORT. The Developer shall provide two copies of the soils report to substantiate all grading building and public improvement plans. Include R value testing and pavement recommendations for public streets. (E B)
<u>COMPLETED</u> NOT IN COMPLIANCE	<u>COMPLIED BY</u>	PLAN CHECK FEES. Plan checking fees must be paid in conjunction with the improvement plan submittal. All required plans, maps, requested studies, CFD annexations, etc. must be submitted as a package. The Developer shall coordinate

<u>COMPLETED</u> NOT IN COMPLIANCE	<u>COMPLIED BY</u>	with the City's Engineering Analyst, Dena Alcayaga at (760) 947-1438 or <a href="mailto:dlalcayaga@cityofhesperia.us">dlalcayaga@cityofhesperia.us</a> , to obtain the fee calculation form which shall be completed and submitted, along with fee payment, at time of plan submittal. Any outstanding fees must be paid before final inspection and the release of bonds.
<u>COMPLETED</u> NOT IN COMPLIANCE	<u>COMPLIED BY</u>	<b>TITLE REPORT.</b> The Developer shall provide a complete title report 90-days or newer from the date of submittal. (E)
<u>COMPLETED</u> NOT IN COMPLIANCE	<u>COMPLIED BY</u>	<b>DRAINAGE IMPACT PREVENTION.</b> The Project shall provide additional drainage facilities, and/or additional drainage facility capacity to mitigate flooding or other downstream impacts associated with or in the vicinity of the proposed project per direction of the City Engineer.
<u>COMPLETED</u> NOT IN COMPLIANCE	<u>COMPLIED BY</u>	<b>DRAINAGE STUDY.</b> The Developer shall submit three (3) copies of a Final Drainage Study which analyzes the pre-project and proposed project hydrology, including flows from offsite, flows generated onsite, hydraulic properties of flows entering or exiting the project to and from natural or constructed conveyances, and capacity and function of any runoff management structures such as catch basins, inlets, outlets and detention or retention structures. The study must include all information specified in the City's hydrology study outline
<u>COMPLETED</u> NOT IN COMPLIANCE	<u>COMPLIED BY</u>	<b>DRYWELLS.</b> The Project may be permitted to install drywells to ensure the required drawdown time will be achieved. A. Drywells shall have a City-approved pretreatment component equivalent to a 2-phase system with debris shield and filter element. B. Drywells shall be constructed by a contractor qualified in the construction of drywells. C. Drywells in retention basins shall include a secured grate to prevent unauthorized removal. D. The excavation for the drywell shall penetrate a minimum of 10 continuous feet into a suitable permeable layer or when a depth of 60 feet has been reached, unless otherwise approved by the City Engineer. E. Drywells that cease to drain a basin or underground system within 48 hours of the end of a storm event shall be replaced or refurbished by the owner. This requirement shall be written in the CC&Rs for all subdivisions where drywells are installed. F. Drywell usage shall comply with all prevailing City, State, and Federal requirements, including the Underground Injection Control Regulations for Class V Injection Wells. G. A Drywell Maintenance Plan shall be submitted to the City for review and approval prior to the approval of a drywell installation at a project site. H. The Drywell Maintenance Plan shall include the following: 1. Drywell(s) location, depth, type, installing contractor, date of installation, owner, maintenance contractor, and emergency contact. 2. Settling chambers and interceptors to be inspected annually;

3. Removal of sediment and debris when:
  - a. Sediment/debris level fills = 25% of the capacity;
  - b. Drywell ownership or maintenance responsibility changes;
  - c. Material not resulting from stormwater/urban runoff enters the settling chamber or interceptor

- I. Submit inspection/maintenance reports to the City (Building and Safety) within 10 days of inspection/maintenance. (E)

**COMPLETED**  
NOT IN COMPLIANCE

**COMPLIED BY**

OFFSITE DRAINAGE IMPACT PREVENTION. The Project shall provide safe conveyance for offsite runoff either routed through the project or around the project site. The Project shall ensure that the proposed conveyance of offsite flows will not increase adverse impacts to downstream properties and/or drainage facilities for the 1-hour design storm for the 100-year return frequency rainfall events. (E)

**COMPLETED**  
NOT IN COMPLIANCE

**COMPLIED BY**

The Project shall be designed to prevent adverse impacts to downstream properties and/or drainage facilities caused or exacerbated by the project. The project shall demonstrate that runoff from the completed project site will not exceed 90% of the pre-project runoff discharge rates for the 24-hour design storm for the 100-year return frequency rainfall events.

A. Drawdown Time. All drainage facilities which are designed to percolate/infiltrate surface runoff (including basins, drywells, or infiltration-based low impact development features) shall not accumulate standing water for more than 48 hours. All drainage facilities designed to provide detention storage shall recover 100 percent of their design detention volume within 48 hours.

B. Groundwater Protection. The Project shall ensure any retention/infiltration or detention facilities will not adversely impact groundwater.

C. Underground Retention/Detention Systems. The Project shall demonstrate a minimum functional life span of 50 years for materials (e.g., polymer, metal, mineral-based, or other) used in underground retention/detention systems. (E)

**COMPLETED**  
NOT IN COMPLIANCE

**COMPLIED BY**

INDEMNIFICATION(1). To the furthest extent allowed by law, Applicant shall indemnify, hold harmless and defend City and each of its officers, officials, employees, consultants, agents and volunteers from any and all loss, liability, fines, penalties, forfeitures, damages and costs (including attorney's fees, litigation expenses and administrative record preparation costs) arising from, resulting from, or in connection with any Third-Party Action (as hereinafter defined). The term "Third Party Action" collectively means any legal action or other proceeding instituted by (i) a third party or parties, or (ii) a governmental body, agency or official other than the City, that: (a) challenges or contests any or all of these Conditions of Approval or any approval associated with entitlements associated with the project to which these conditions of approval apply (collectively "Approvals"); or (b) claims or

alleges a violation of CEQA or another law in connection with the Approvals by the City, or the grant, issuance or approval by the City of any or all Approvals. Applicant's obligations under this paragraph shall apply regardless of whether City or any of its officers, officials, employees, consultants, agents or volunteers are actively or passively negligent, but shall not apply to any loss, liability, fines, penalties, forfeitures, costs or damages caused solely by the active negligence or willful misconduct of the City or any of its officers, officials, employees, agents or volunteers. The provisions of this section shall survive any termination, revocation, overturn, or expiration of an approval. (P)

**COMPLETED**  
NOT IN COMPLIANCE

**COMPLIED BY**

INDEMNIFICATION(2). Nothing in this condition shall obligate the City to defend any claim and the City shall not be required to pay or perform any settlement arising from any such claim unless the City approves the settlement in writing. Additionally, the City shall not be prohibited from independently defending any claim, and whether or not the City does decide to independently defend a claim, the applicant shall be responsible for City's attorneys' fees, expenses of litigation, and costs for that independent defense, including the costs of preparing any required administrative record. Unless the City independently chooses to defend any Third Party Action on its behalf, Applicant shall control the conduct of the defense of any claim or action provided that: (1) the City shall have the right, prior to filing, to review and approve any and all pleadings or related documents filed with the court in connection with such defense and Applicant shall reimburse the City for review time for each draft brief or pleading to be filed on behalf of the City; and (2) the City shall review and reasonably approve any proposed settlement. The Applicant acknowledges that the City is not obligated to approve a proposed settlement requiring the City to pay or incur any monetary amount, take a future legislative action, render a future quasi judicial decision, or otherwise take a future discretionary government action. (P)

**COMPLETED**  
NOT IN COMPLIANCE

**COMPLIED BY**

INDEMNIFICATION(3). The City may, at any time, require the applicant to reimburse the City for costs that have been, or which the City reasonably anticipates will be, incurred by the City during the course of processing or defending any Third-Party Actions. The City shall provide Applicant with an invoice detailing all reasonable costs incurred. Applicant shall tender to the City payment in full of all reasonable and necessary costs within thirty (30) days from the date upon the invoice. Applicant further acknowledges and agrees that failure to timely tender payment in full to the City shall be considered a breach and non compliance with the conditions of approval for the project. Applicant shall also be required, upon request of the City, to deposit two month's estimated costs anticipated by the City to be incurred, which may be used by the City as a draw down account to maintain a positive balance pending tender of payment by Applicant as noted herein. (P)

**COMPLETED**  
NOT IN COMPLIANCE

**COMPLIED BY**

EXPIRATION OF ENTITLEMENT. Unless the applicant has obtained a grading permit and/or building permit and

commenced construction, this approval shall expire three (3) years from the date of action of the reviewing authority. Where no grading or building permit is required, the allowed use on the site shall have commenced prior to the expiration date in compliance with the approval and any applicable conditions of approval. An extension of time may be granted pursuant to Municipal Code Section 16.12.060 if the applicant files an application and written request for an extension prior to the expiration of the permit. (P)

**COMPLETED**  
NOT IN COMPLIANCE

**COMPLIED BY**

LIGHT AND LANDSCAPE DISTRICT ANNEXATION. Developer shall annex property into the lighting and landscape district administered by the Hesperia Recreation and Parks District for all required street lights. The required forms are available from the Building Division and once completed, shall be submitted to the Building Division. (RPD)

#### CONDITIONS REQUIRED PRIOR TO GROUND DISTURBING ACTIVITY

**COMPLETED**  
NOT IN COMPLIANCE

**COMPLIED BY**

PRE-CONSTRUCTION MEETING. Pre-construction meetings shall be held between the City the Developer grading contractors and special inspectors to discuss permit requirements monitoring and other applicable environmental mitigation measures required prior to ground disturbance and prior to development of improvements within the public right-of-way. (B)

**COMPLETED**  
NOT IN COMPLIANCE

**COMPLIED BY**

SURVEY. The Developer shall provide a legal survey of the property. All property corners shall be staked and the property address posted. (B)

**COMPLETED**  
NOT IN COMPLIANCE

**COMPLIED BY**

APPROVAL OF IMPROVEMENT PLANS. All required improvement plans shall be prepared by a registered Civil Engineer per City standards and per the City's improvement plan checklist to the satisfaction of the City Engineer. Five sets of improvement plans shall be submitted to the Development Services Department and Engineering Department for plan review with the required plan checking fees. All Public Works plans shall be submitted as a complete set. (E)

**COMPLETED**  
NOT IN COMPLIANCE

**COMPLIED BY**

APATITE AVENUE. Saw-cut (2-foot min.) and match-up asphalt pavement on Apatite Street across the project frontage, based on City's 60-foot Local Roadway Standard. The curb face is to be located at 20' from the approved centerline. The design shall be based upon an acceptable centerline profile extending a minimum of three hundred (300) feet beyond the project boundaries where applicable. These improvements shall consist of:

- A. 8" Curb and Gutter per City standards.
- B. Sidewalk (width = 6 feet) per City standards.
- C. Roadway drainage device(s).
- D. Streetlights per City standards.
- E. Intersection improvements including handicapped ramps per City standards.
- F. Commercial driveway approaches per City standards.
- G. Pavement transitions per City Standards.

- H. Design roadway sections per existing, approved street sections and per "R" value testing with a traffic index of 8 and per the soils report.
- I. Cross sections every 50-feet per City standards.
- J. Traffic control signs and devices as required by the traffic study and/or the City Engineer.
- K. Provide a signage and striping plan per City standards.
- L. It is the Developer's responsibility to obtain any off-site dedications for transition tapers including acceleration / deceleration tapers per City standards.
- M. Relocate existing utilities as required. The Developer shall coordinate with affected utility companies.

**COMPLETED**  
NOT IN COMPLIANCE

**COMPLIED BY**

GRADING PLAN. The Developer shall submit a Grading Plan with existing contours tied to an acceptable City of Hesperia benchmark. The grading plan shall indicate building footprints and proposed development of the retention basin(s) as a minimum. Site grading and building pad preparation shall include recommendations provided per the Preliminary Soils Investigation. All proposed walls shall be indicated on the grading plans showing top of wall (tw) and top of footing (tf) elevations along with finish grade (fg) elevations. Wall height from finish grade (fg) to top of wall (tw) shall not exceed 6.0 feet in height. Grading Plans are subject to a full review by the City of Hesperia and the City Engineer upon submittal of the Improvement Plans. (E)

**COMPLETED**  
NOT IN COMPLIANCE

**COMPLIED BY**

OFF-SITE GRADING LETTER(S). It is the Developers responsibility to obtain signed Off-Site Grading Letters from any adjacent property owner(s) who are affected by any Off-Site Grading that is needed to make site work. The Off-Site Grading letter(s) along with the latest grant deed(s) must be submitted and appropriate fees paid to the City's Engineering Department for plan check approval. (E)

**COMPLETED**  
NOT IN COMPLIANCE

**COMPLIED BY**

STREET IMPROVEMENTS. The Developer shall design street improvements in accordance with City standards and these conditions. (E)

**COMPLETED**  
NOT IN COMPLIANCE

**COMPLIED BY**

OUTER BEAR VALLEY ROAD. Saw-cut (2-foot min.) and match-up asphalt pavement on Outer Bear Valley Road across the project frontage. The curb face is to be located 15' north of property line to match existing further east of project. The design shall be based upon an acceptable centerline profile extending a minimum of three hundred (300) feet beyond the project boundaries where applicable. These improvements shall consist of:

- A. 8" Curb and Gutter per City standards.
- B. Sidewalk (width = 6 feet) per City standards.
- C. Roadway drainage device(s).
- D. Streetlights per City standards.
- E. Intersection improvements including handicapped ramps per City standards.
- F. Commercial driveway approaches per City standards.
- G. Pavement transitions per City Standards.
- H. Design roadway sections per existing, approved street sections and per "R" value testing with a traffic index of 8 and

**COMPLETED**  
NOT IN COMPLIANCE

**COMPLIED BY**

per the soils report.

- I. Cross sections every 50-feet per City standards.
- J. Traffic control signs and devices as required by the traffic study and/or the City Engineer.
- K. Provide a signage and striping plan per City standards.
- L. It is the Developer's responsibility to obtain any off-site dedications for transition tapers including acceleration / deceleration tapers per City standards.
- M. Relocate existing utilities as required. The Developer shall coordinate with affected utility companies.

**COMPLETED**  
NOT IN COMPLIANCE

**COMPLIED BY**

Utility Plan. The Developer shall design a Utility Plan for service connections and / or private hydrant and sewer connections. Any existing water, sewer, or storm drain infrastructures that are affected by the proposed development shall be removed / replaced or relocated and shall be constructed per City standards at the Developer's expense. (E)

- A. A remote read automatic meter reader shall be added on all meter connections as approved by the City Engineer.
- B. The Developer shall design a Utility Plan for service connections and / or private water and sewer connections. Domestic and fire connections shall be made from the existing 12" PVC water line in Outer Bear Valley Road per City Standards.
- C. The Developer will be required to connect to the existing 8" PVC sewer main in Outer Bear Valley Road per City standards.
- D. Complete V.V.W.R.A.'s "Wastewater Questionnaire for Commercial / Industrial Establishments" and submit to the Engineering Department. Complete the "Certification Statement for Photographic and X-ray Processing Facilities" as required.

OVERFLOW-OUTFALL. Each project shall be designed such that the outfall(s) for discharges from the project site in excess of design capacity and or in excess of the 100-year, 24-hr design storm is are routed to a public street, storm drain, drainage channel, or natural watercourse.

If such an outfall does not exist, the Project shall provide an outfall. (E)

**COMPLETED**  
NOT IN COMPLIANCE

**COMPLIED BY**

NATIVE AMERICAN RESOURCES. If human remains or funerary objects are encountered during any activities associated with the project, work in the immediate vicinity shall cease and the County Coroner shall be contacted pursuant to State Health and Safety Code §7050.5 and that code enforced for the duration of the project. In the event that Native American cultural resources are discovered during project activities, all work in the immediate vicinity of the find shall cease and a qualified archaeologist shall be hired to assess the find. Work on the other portions of the project outside of the buffered area may continue during this assessment period. If significant Native American historical resources, as defined by CEQA (as amended, 2015), are discovered and avoidance cannot be ensured, a qualified archaeologist shall be retained

to develop a cultural resources Treatment Plan, as well as a Discovery and Monitoring Plan. The Lead Agency and/or applicant shall, in good faith, consult local Indian tribes on the disposition and treatment of any artifacts or other cultural materials encountered during the project. (P)

**COMPLETED**      **COMPLIED BY**  
NOT IN COMPLIANCE

PRE-CONSTRUCTION SURVEY. A pre-construction survey for the burrowing owl shall be conducted by a City approved and licensed biologist, no more than 30 days prior to ground disturbance. (P)

**COMPLETED**      **COMPLIED BY**  
NOT IN COMPLIANCE

PROTECTED PLANTS. Three copies of a protected plant plan shall be submitted to the Building Division showing the present location and proposed treatment of all smoke tree, species in the Agavaceae family, mesquite, large creosote bushes, Joshua Trees, and other plants protected by the State Desert Native Plant Act. The grading plan shall be consistent with the approved protected plant plan. No clearing or grading shall commence until the protected plant plan is approved and the site is inspected and approved for clearing. (P)

## CONDITIONS REQUIRED PRIOR TO BUILDING PERMIT ISSUANCE

**COMPLETED**      **COMPLIED BY**  
NOT IN COMPLIANCE

AQMD APPROVAL. The Developer shall provide evidence of acceptance by the Mojave Desert Air Quality Management District. (B)

**COMPLETED**      **COMPLIED BY**  
NOT IN COMPLIANCE

CONSTRUCTION WASTE. The developer or builder shall contract with the City's franchised solid waste hauler to provide bins and haul waste from the proposed development. At any time during construction, should services be discontinued, the franchise will notify the City and all building permits will be suspended until service is reestablished. The construction site shall be maintained and all trash and debris contained in a method consistent with the requirements specified in Hesperia Municipal Code Chapter 15.12. All construction debris, including green waste, shall be recycled at Advance Disposal and receipts for solid waste disposal shall be provided prior to final approval of any permit. (B)

**COMPLETED**      **COMPLIED BY**  
NOT IN COMPLIANCE

DEVELOPMENT FEES. The Developer shall pay required development fees as follows:

A. School Fees (B)

**COMPLETED**      **COMPLIED BY**  
NOT IN COMPLIANCE

ELECTRIC VEHICLE CHARGING INFRASTRUCTURE. The project shall comply with the requirements of California Green Building Standards Code (CALGreen) Section 5.106.5.3 regarding electric vehicle (EV) charging infrastructure for non-residential developments. The developer shall provide the required number of EV-capable parking spaces, including the necessary raceways, conduits, panel capacity, and other supporting infrastructure to facilitate the future installation of EV charging stations in accordance with state and local requirements. This may include designated Electric Vehicle Charging Spaces (EVCS) that are required to have Electric Vehicle Supply Equipment (EVSE) installed as part of the

<b><u>COMPLETED</u></b> NOT IN COMPLIANCE	<b><u>COMPLIED BY</u></b>	project. (B)
<b><u>COMPLETED</u></b> NOT IN COMPLIANCE	<b><u>COMPLIED BY</u></b>	LIGHT POLLUTION REDUCTION. The project shall comply with California Green Building Standards Code (CALGreen) Section 5.106.8 regarding Light Pollution Reduction for non-residential developments. Outdoor lighting systems shall be designed and installed to meet the minimum requirements of the California Energy Code for applicable Lighting Zones (0-4) and shall not exceed the allowable BUG (Backlight, Uplight, and Glare) ratings as specified in CALGreen Table 5.106.8 [N]. (B)
<b><u>COMPLETED</u></b> NOT IN COMPLIANCE	<b><u>COMPLIED BY</u></b>	ACCESSIBLE PARKING SPACES. The project shall comply with California Building Code (CBC) Section 11B-208, ensuring that accessible parking spaces are provided as required for non-residential developments. (B)
<b><u>COMPLETED</u></b> NOT IN COMPLIANCE	<b><u>COMPLIED BY</u></b>	FINAL WQMP SUBMITTAL. Submit a final WQMP, prepared using the applicable Mojave River Watershed Group Regulated WQMP Template, which includes all required or proposed revisions, addresses any comments provided on the draft WQMP, provides final designs for best management practices (BMPs), and includes calculations for BMP sizing. (E)
<b><u>COMPLETED</u></b> NOT IN COMPLIANCE	<b><u>COMPLIED BY</u></b>	PERCOLATION TEST. The applicant shall provide percolation test data which are adequate to substantiate the hydrologic performance of all proposed basins, underground retention systems, drywells, or other features requiring percolation of surface water: <ul style="list-style-type: none"> <li>A. Projects shall provide site-specific percolation test data to substantiate the performance and effective drawdown time of all proposed surface retention basins.</li> <li>B. Projects shall provide site-specific, depth-appropriate percolation test data for the proposed subsurface infiltration/retention system; and/or for any proposed drywells.</li> <li>C. Percolations tests shall be performed in accordance with the procedures in Appendix A of the Riverside County Design Handbook for Low Impact Development Best Management Practices; available online at:                <a href="http://www.floodcontrol.co.riverside.ca.us/NPDES/LIDBMP.aspx">http://www.floodcontrol.co.riverside.ca.us/NPDES/LIDBMP.aspx</a> (E)</li> </ul>
<b><u>COMPLETED</u></b> NOT IN COMPLIANCE	<b><u>COMPLIED BY</u></b>	STORM WATER POLLUTION PREVENTION PLAN. The Project shall submit to the City for approval two (2) copies of a Storm Water Pollution Prevention Plan (SWPPP) as specified in the prevailing National Pollutant Discharge Elimination System (NPDES) General Permit for Storm Water Discharges Associated with Construction and Land Disturbance Activities issued by the California State Water Resources Control Board. Prepare the SWPPP using or following the format of the most recent SWPPP Template in the Construction BMP Handbook prepared by the California Stormwater Quality Association (requires subscription); see: <a href="https://www.casqa.org/resources/bmp-handbooks">https://www.casqa.org/resources/bmp-handbooks</a>

NPDES: The Project shall enroll under the prevailing National Pollutant Discharge Elimination System (NPDES) General Permit for Storm Water Discharges Associated with Construction and Land Disturbance Activities issued by the California State Water Resources Control Board and pay applicable fees. The Project shall provide proof of such permit coverage including a copy of the Notice of Intent Receipt Letter and the project WDID No. to the City.

Alternatively, projects from 1 to 5 acres with an approved Rainfall Erosivity Waiver authorized by U.S. EPA Phase II regulations certifying to the State Water Resources Control Board that construction activity will occur only when the Rainfall Erosivity Factor is less than 5 (R in the Revised Universal Soil Loss Equation), shall provide a copy of the project's Erosivity Waiver Certification and Waiver ID to the City.

NPDES-PERMIT TERMINATION: Upon completion of construction, the Project shall ensure that all disturbed areas are stabilized and all construction waste, equipment, and unnecessary temporary BMPs are removed from the site. In addition, the Project shall file a Notice of Termination (NOT) with the Lahontan Regional Water Board as required by the NPDES General Permit for Storm Water Discharges Associated with Construction and Land Disturbance Activities. (E)

**COMPLETED**  
NOT IN COMPLIANCE

**COMPLIED BY**

SWPPP IMPLEMENTATION. All of the requirements of the City-approved Storm Water Pollution Prevention Plan shall be implemented prior to the City's issuance of a grading permit, and shall be maintained until construction is complete and all disturbed areas are fully stabilized. (E)

**COMPLETED**  
NOT IN COMPLIANCE

**COMPLIED BY**

LANDSCAPE AND IRRIGATION PLANS. The Developer shall submit three sets of landscape and irrigation plans including water budget calculations required application fees and completed landscape packet to the Building Division with the required application fees. Plans shall utilize xeriscape landscaping techniques in conformance with the Landscaping Ordinance. The number size type and configuration of plants approved by the City shall be maintained in accordance with the Development Code. (P)

**COMPLETED**  
NOT IN COMPLIANCE

**COMPLIED BY**

FENCING PLANS. If the drainage channel exceeds 18 inches in depth, a combination wall consisting of a 2-foot-high split-face masonry wall with a 4-foot-high wrought iron fence above shall be constructed along the channel boundary in accordance with City standards, except along the south boundary, where a 6-foot high block wall is provided. (P)

**COMPLETED**  
NOT IN COMPLIANCE

**COMPLIED BY**

MASONRY WALLS AND FENCING. The Developer shall submit four sets of masonry wall and fencing plans to the Building & Safety Division with the required application fees for all proposed walls. A 6-foot-high split-face wall with decorative cap shall be provided along the north side of the eastment located south of the property. A 4 to 5 foot-high retaining wall featuring a split-face exterior finish with a 3-foot-high metal railing on top shall be provided along the northeast corner of the site, as shown on the approved site plan. The required

**COMPLETED** NOT IN COMPLIANCE **COMPLIED BY** masonry walls and wrought iron fencing shall be completed in accordance with City standards. (P)

**COMPLETED** NOT IN COMPLIANCE **COMPLIED BY** ROOFTOP EQUIPMENT. All rooftop equipment shall be screened from view from the right-of-way and architecturally integrated into the design of the building. All roof-mounted mechanical equipment proposed on the roof shall be shown on a cross-section of the building, as well as a line of site study, evidencing that the equipment will be screened from view and will not be visible from the right-of-way. (P)

**COMPLETED** NOT IN COMPLIANCE **COMPLIED BY** STAMPED CONCRETE. Stamped color concrete shall be installed at the driveway entrances in a color and design consistent with the architectural theme of the structures on-site, prior to the issuance of a building permit. The stamped color concrete shall be noted on the approved construction plans accordingly. (P)

**COMPLETED** NOT IN COMPLIANCE **COMPLIED BY** TRASH ENCLOSURE. All trash enclosures shall be in conformance with Municipal Code Section 16.16.360 and City approved construction details. The enclosure shall be enclosed on three sides by a minimum six-foot tall decorative masonry wall with split face block on the viewable side and a decorative cap. The masonry wall shall be earth tone in color; solid grey block is not allowed. The enclosure shall have non-transparent metal gates and a solid roof-cover that is architecturally compatible with the primary building onsite and that serves to protect the refuse area from inclement weather, as well as prevents unauthorized entry into the enclosure. (P)

## CONDITIONS REQUIRED PRIOR TO CERTIFICATE OF OCCUPANCY

**COMPLETED** NOT IN COMPLIANCE **COMPLIED BY** UTILITY CLEARANCE AND C OF O. The Building Division will provide utility clearances on individual buildings after required permits and inspections and after the issuance of a Certificate of Occupancy on each building. Utility meters shall be permanently labeled. Uses in existing buildings currently served by utilities shall require issuance of a Certificate of Occupancy prior to establishment of the use. (B)

**COMPLETED** NOT IN COMPLIANCE **COMPLIED BY** DEVELOPMENT FEES. The Developer shall pay required development fees as follows:

- Development Impact Fees (B)
- Utility Fees (E)

**COMPLETED** NOT IN COMPLIANCE **COMPLIED BY** AS BUILT PLANS. The Developer shall provide as built plans. (E)

**COMPLETED** NOT IN COMPLIANCE **COMPLIED BY** PUBLIC IMPROVEMENTS. All public improvements shall be completed by the Developer and approved by the Engineering Department. Existing public improvements determined to be unsuitable by the City Engineer shall be removed and replaced. (E)

**COMPLETED** **COMPLIED BY** EXECUTED AND RECORDED WQMP MAINTENANCE

NOT IN COMPLIANCE

AGREEMENT. The WQMP Maintenance Agreement: Covenant and Agreement Regarding Water Quality Management Plan and Stormwater Best Management Practices Transfer, Access, and Maintenance, must be (1) prepared using the WQMP Maintenance Agreement Template provided as Attachment A to the City of Hesperia WQMP Templates, and (2) the complete WQMP Maintenance Agreement, with the Property Owners notarized signature(s) and suitable for recordation by the City, must be received before the City will authorize the final inspection or issue a Certificate of Occupancy. (E)

COMPLETED

NOT IN COMPLIANCE

COMPLIED BY

WQMP PERMIT. The Property Owner shall apply for a City WQMP Permit with the Building and Safety Department and pay the applicable permit fees. The WQMP Permit shall be renewed annually. To comply with the WQMP Permit, the Property Owner shall certify on an annual basis that all of the post-construction best management practices (BMPs) described in the approved project WQMP have been inspected and maintained as specified and required by the BMP Inspection and Maintenance Form and Operation and Maintenance Plan. The Property Owner shall provide proof of the WQMP Permit before the City will issue a Certificate of Occupancy. (E)

COMPLETED

NOT IN COMPLIANCE

COMPLIED BY

ON SITE IMPROVEMENTS. All on site improvements as recorded in these conditions, and as shown on the approved site plan shall be completed in accordance with all applicable Title 16 requirements. The building shall be designed consistent with the design shown upon the approved materials board and color exterior building elevations. (P)

COMPLETED

NOT IN COMPLIANCE

COMPLIED BY

LANDSCAPING/IRRIGATION. The Developer shall install the landscaping and irrigation as required by the Planning Division. (P)

**NOTICE TO DEVELOPER: IF YOU NEED ADDITIONAL INFORMATION OR ASSISTANCE REGARDING THESE CONDITIONS, PLEASE CONACT THE APPROPRIATE DIVISION LISTED BELOW:**

(B) Building Division	947-1300
(E) Engineering Division	947-1476
(F) Fire Prevention Division	947-1603
(P) Planning Division	947-1200
(RPD) Hesperia Recreation and Park District	244-5488